



Product Change Notification

PCN Number: PCN-2015-5

PCN Notification Date: 03/30/2015

Informational

CS5343/44 Output Sample Rate

Dear Customer,

This notification is to advise you of the following change.

CS5343/44 output sample rate specification has expanded to include operation from 4-24 kHz. Previous performance was limited to 43-54 kHz.

If you have any questions, please contact your Sales Representative.

Sincerely,

Quality Systems Administrator
Cirrus Logic Corporate Quality
Phone: +1(512) 851-4000



Product Change Notification

PCN Number: PCN-2015-5

PCN Notification Date: 03/30/2015

Products Affected:

The devices listed on this page are the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

Technical details of this Process / Product Change follow on the next page(s).

Title:	CS5343/44 Output Sample Rate																
Customer Contact:	Local Field Sales Representative	Phone:	(512) 851-4000														
Proposed 1st Ship Date:	NA	Dept:	Corporate Quality														
Change Type:	<table border="1"> <tr> <td>Estimated Sample Availability Date:</td> <td>NA</td> </tr> <tr> <td>Assembly Site</td> <td>Assembly Process</td> </tr> <tr> <td>Wafer Fab Site</td> <td>Wafer Fab Process</td> </tr> <tr> <td>Wafer Bump Site</td> <td>Wafer Bump Process</td> </tr> <tr> <td>Test Site</td> <td>Test Process</td> </tr> <tr> <td>x Electrical Specification</td> <td>Mechanical Specification</td> </tr> <tr> <td>Packing/Shipping/Labeling</td> <td>Other</td> </tr> </table>			Estimated Sample Availability Date:	NA	Assembly Site	Assembly Process	Wafer Fab Site	Wafer Fab Process	Wafer Bump Site	Wafer Bump Process	Test Site	Test Process	x Electrical Specification	Mechanical Specification	Packing/Shipping/Labeling	Other
Estimated Sample Availability Date:	NA																
Assembly Site	Assembly Process																
Wafer Fab Site	Wafer Fab Process																
Wafer Bump Site	Wafer Bump Process																
Test Site	Test Process																
x Electrical Specification	Mechanical Specification																
Packing/Shipping/Labeling	Other																
Comments:	Expanded output sample rate specification to include operation from 4-24 kHz																

PCN Details		
Description of Change:		
Revision F2 of datasheet limited performance to 43-54 kHz. Change adds performance from 4-24 kHz to spec.		
<ul style="list-style-type: none"> Change Type Here: From: 43 – 54 kHz 	To: 4 – 24 kHz, 43-54 kHz	
Reason for Change:		
Validated safe operating parameter		
Anticipated Impact on Form, Fit, Function, Quality or Reliability:		
No impact: extended performance range		
Product Affected:		
Device	Cirrus Logic Part Number	Customer Part Number
1	CS5343	CS5344